

AW.10.15/P



(S) 2500 [mm] x (H) 900 [mm] - 51 kg	(S) 3000 [mm] x (H) 1200 [mm] - 70 kg
(S) 2500 [mm] x (H) 1200 [mm] - 57 kg	(S) 3000 [mm] x (H) 1450 [mm] - 77 kg
(S) 2500 [mm] x (H) 1450 [mm] - 63 kg	
max: (S) 3000 [mm] x (H) 1750 [mm]	

$H \geq 1000 : a=250, b=300, H_{min}=800$ $800 \leq H < 1000 : a=250, b=200, H_{min}=800$

AW.10.15/Wp

(S) 2500 [mm] x (H) 900 [mm] - 49 kg	(S) 3000 [mm] x (H) 1200 [mm] - 68 kg
(S) 2500 [mm] x (H) 1200 [mm] - 55 kg	(S) 3000 [mm] x (H) 1450 [mm] - 75 kg
(S) 2500 [mm] x (H) 1450 [mm] - 61 kg	
max: (S) 3000 [mm] x (H) 1750 [mm]	

$H \geq 1100 : a=350, b=300, c=175, H_{min}=900$ $900 \leq H < 1100 : a=350, b=200, c=175, H_{min}=900$



AW.10.15/Wk

(S) 2500 [mm] x (H) 900 [mm] - 49 kg	(S) 3000 [mm] x (H) 1200 [mm] - 68 kg
(S) 2500 [mm] x (H) 1200 [mm] - 55 kg	(S) 3000 [mm] x (H) 1450 [mm] - 75 kg
(S) 2500 [mm] x (H) 1450 [mm] - 61 kg	

max: (S) 3000 [mm] x (H) 1750 [mm]

$H \geq 1100 : a=350, b=300, c=175, H_{min}=900$ $900 \leq H < 1100 : a=350, b=200, c=175, H_{min}=900$

