


FENCE OUTSIDE VIEW




LEGEND: S(So) – element width [mm]; H – element height [mm]; a – upper crossbar position (for WP and Wk taken together with the arch) [mm]; b – lower crossbar position [mm]; c – arch height [mm]



OBJECT	DESIGN UNIT		DATE
Section A - 1 with 1	Skandinaviska Områdeskrydd AB Kilowattvägen 12 13644 HÄNDEN Tel/fax: +46 (0)8 50011530		2014-08-20
INVESTMENT ADDRESS	INVESTOR	Modern - modeller	SCALE
DRAWING SUBJECT	DESIGNED BY		DRAWING NO.
Modern - modeller	webpartner1		1/4

FENCE OUTSIDE VIEW




LEGEND: S(So) – element width [mm]; H – element height [mm]; a – upper crossbar position (for WP and Wk taken together with the arch) [mm];
b – lower crossbar position [mm]; c – arch height [mm]



OBJECT	DESIGN UNIT		DATE
Section B - 1 with 1	Skandinaviska Områdeskrydd AB Kilowattvägen 12 13644 HÄNDEN Tel/fax: +46 (0)8 50011530		2014-08-20
INVESTMENT ADDRESS	INVESTOR	Modern - modeller	SCALE
DRAWING SUBJECT	DESIGNED BY		DRAWING NO.
Modern - modeller	webpartner1		2/4

FENCE OUTSIDE VIEW




LEGEND: S(So) – element width [mm]; H – element height [mm]; a – upper crossbar position (for WP and Wk taken together with the arch) [mm];
b – lower crossbar position [mm]; c – arch height [mm]



OBJECT	DESIGN UNIT		DATE
Section C - 1 with 1	Skandinaviska Områdeskrydd AB Kilowattvägen 12 13644 HÄNDEN Tel/fax: +46 (0)8 50011530		2014-08-20
INVESTMENT ADDRESS	INVESTOR	Modern - modeller	SCALE
DRAWING SUBJECT	DESIGNED BY		DRAWING NO.
Modern - modeller	webpartner1		3/4

Project designed in "AW Expert" v.2.07.16 - All rights reserved.
Using AW Expert application contrary to the terms and conditions of the license agreement shall constitute an application copyright infringement resulting in legal actions stipulated in the Act on Copyright and Related Rights of 4 February 1994. The program is also subject to protection under the European Union and Council Directive 2009/24/WE of 23 May 2009 on the legal protection of computer programs.


FENCE OUTSIDE VIEW



LEGEND: $S(So)$ – element width [mm]; H – element height [mm]; a – upper crossbar position (for WP and Wk taken together with the arch) [mm];
 b – lower crossbar position [mm]; c – arch height [mm]



OBJECT	DESIGN UNIT		DATE
Section D - 1 with 1	Skandinaviska Områdeskrydd AB Kilowattvägen 12 13644 HÄNDEN Tel/fax: +46 (0)8 50011530		2014-08-20
INVESTMENT ADDRESS	INVESTOR	Modern - modeller	SCALE
DRAWING SUBJECT		Modern - modeller	1:22
DESIGNED BY		webpartner1	DRAWING NO.
			4/4



KVALITET

Alla våra smidesprodukter har ett dubbelt ytskydd – så kallat Duplex-System – som garanterar hållbarheten.

Varje del är varmförzinkad, vilket innebär att hela produkten doppats i smält zink som trängt in överallt och skyddar stållet mot rostangrepp. Zinklagret ger motståndskraft för både höga och låga temperaturer, samt UV-strålning. Dessutom är produkterna pulverlackade i flera omgångar för att ytterligare öka skydd och hållbarhet. En första lackning görs med fosfat och silan som ökar vidhäftningsförmågan inför den avslutande fäglackningen.

10 års rotskyddsgaranti

Vi lämnar alltid tio års rotskyddsgaranti på alla våra smidesprodukter, eftersom vi vet att de håller och fortsätter att vara vackra i betydligt fler år än så.

FÄRGER

Våra polyesterfärgar håller absolut högsta kvalitet och uppfyller alla krav enligt europeiska standarder (QUALICOAT och GSB). Alla våra smidesprodukter finns i sju standardfärgar och ett antal specialfärgar, men går också att få lackade i helt valfri RAL-färg.

I grundutförandet är alla smidesprodukter galvaniserade, men du kan välja fritt om och hur ditt staket ska lackas. Mest fördelaktigt pris har våra standardfärgar.

STANDARDFÄRGER:



ÖVRIGA FÄRGER:



SPECIELLA FÄRGER:

