














AW.10.20/P

(S) 2500 [mm] x (H) 900 [mm] - 53 kg	(S) 2500 [mm] x (H) 1450 [mm] - 66 kg
(S) 2500 [mm] x (H) 1200 [mm] - 60 kg	
max: (S) 3000 [mm] x (H) 1750 [mm]	




H = 1450: a=250, b=300

H = 1200: a=250, b=300



AW.10.20/Wp

(S) 2500 [mm] x (H) 900 [mm] - 51 kg	(S) 2500 [mm] x (H) 1450 [mm] - 64 kg
(S) 2500 [mm] x (H) 1200 [mm] - 58 kg	
max: (S) 3000 [mm] x (H) 1750 [mm]	





H = 1450: a=350, b=300; c=175


H = 1200: a=350, b=300; c=175



AW.10.20/Wk

(S) 2500 [mm] x (H) 900 [mm] - 51 kg	(S) 2500 [mm] x (H) 1450 [mm] - 64 kg
(S) 2500 [mm] x (H) 1200 [mm] - 58 kg	
max: (S) 3000 [mm] x (H) 1750 [mm]	

	
H = 1450: a=350, b=300; c=175	H = 1200: a=350, b=300; c=175



U2 **C** 12x12 **D** 30x5 **E** 30x18